USPS Tracking®

Still Have Questions?

Browse our FAQs ›

Get Easy Tracking Updates ›

Sign up for My USPS.

Only applicable to visual users.

Tracking Number: 9410803699300086194060

delivered

- On Time
- Updated Delivery Day: **Saturday, January 21, 2017**
- Signed for By: HARDY // BUCODA, WA 98530 // 9:09 am

Product & Tracking Information

Postal Product:

- Priority Mail™

Features:

- ○ Signature Confirmation™

DATE & TIME	STATUS OF ITEM	LOCATION
January 21, 2017 , 9:09 am	Delivered, Individual Picked Up at Post Office	BUCODA, WA 98530
January 20, 2017 , 1:01 pm	Available for Pickup	BUCODA, WA 98530
January 20, 2017 , 12:52 pm	Arrived at Post Office	BUCODA, WA 98530

ELEVATION CERTIFICATE

Important: Follow the instructions on pages 1–9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

SECTION A – PROPERTY INFORMATION	FOR INSURANCE COMPANY USE

A1. Building Owner's Name
Hardy Family Living Trust

Policy Number:

A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.
502 South Main Street

Company NAIC Number:

City	State	ZIP Code
Bucoda	Washington	98530

A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)
TPN 64130702000- That parcel described in Quit Claim Deed recorded under AFN 4308295, Records of Thurston, County, Washington.

A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) Residential (house)

A5. Latitude/Longitude: Lat. 46°47'45" N Long. 122°52'17" W Horizontal Datum: ☐ NAD 1927 ☒ NAD 1983

A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.

A7. Building Diagram Number 9

A8. For a building with a crawlspace or enclosure(s):

  a) Square footage of crawlspace or enclosure(s) 1,101 sq ft

  b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade 6

  c) Total net area of flood openings in A8.b 1,200 sq in

  d) Engineered flood openings? ☒ Yes ☐ No

A9. For a building with an attached garage:

  a) Square footage of attached garage 316 sq ft

  b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade _____

  c) Total net area of flood openings in A9.b _____ sq in

  d) Engineered flood openings? ☐ Yes ☒ No

SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP Community Name & Community Number	B2. County Name	B3. State
Town of Bucoda - 530189	Thurston	Washington

B4. Map/Panel Number	B5. Suffix	B6. FIRM Index Date	B7. FIRM Panel Effective/ Revised Date	B8. Flood Zone(s)	B9. Base Flood Elevation(s) (Zone AO, use Base Flood Depth)
53067C 0486	E	10/16/2012	10/16/2012	A	246.3*

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:

  ☐ FIS Profile ☐ FIRM ☒ Community Determined ☐ Other/Source: _____

B11. Indicate elevation datum used for BFE in Item B9: ☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source: _____

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? ☐ Yes ☒ No

  Designation Date: _____ ☐ CBRS ☐ OPA

ELEVATION CERTIFICATE

IMPORTANT: In these spaces, copy the corresponding information from Section A.	FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 502 South Main Street	Policy Number:

City Bucoda	State Washington	ZIP Code 98530	Company NAIC Number

SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on: ☐ Construction Drawings* ☐ Building Under Construction* ☒ Finished Construction

*A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.

Benchmark Utilized: TCCP 220   Vertical Datum: NAVD 88

Indicate elevation datum used for the elevations in items a) through h) below.

☐ NGVD 1929 ☒ NAVD 1988 ☐ Other/Source: _____

Datum used for building elevations must be the same as that used for the BFE.

Check the measurement used.

a) Top of bottom floor (including basement, crawlspace, or enclosure floor)	243 . 0	☒ feet	☐ meters
b) Top of the next higher floor	250 . 11	☒ feet	☐ meters
c) Bottom of the lowest horizontal structural member (V Zones only)	.	☒ feet	☐ meters
d) Attached garage (top of slab)	248 . 40	☒ feet	☐ meters
e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments)	252 . 11	☒ feet	☐ meters
f) Lowest adjacent (finished) grade next to building (LAG)	244 . 86	☒ feet	☐ meters
g) Highest adjacent (finished) grade next to building (HAG)	245 . 29	☒ feet	☐ meters
h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support	245 . 10	☒ feet	☐ meters

SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. *I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.*

Were latitude and longitude in Section A provided by a licensed land surveyor? ☒ Yes ☐ No   ☐ Check here if attachments.

| Certifier's Name Christopher M. Butler, PLS	License Number WAPLS 36792	
Title Professional Land Surveyor		
Company Name Butler Surveying, Inc.		
Address P.O. Box 149		
City Chehalis	State Washington	ZIP Code 98532
Signature	Date 12/05/2016	Telephone (360) 748-8803

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments (including type of equipment and location, per C2(e), if applicable)

The base flood elevation listed in Section B9 is community determined elevation established by Watershed Science and Engineering in May of 2015 and subsequently adopted by the Town of Bucoda by ordinance. Lowest elevation of machinery servicing the building, C2(e) is the interior electric. In addition to the 6 engineered flood vents listed in Section A8, there is a 33" x 60" (1,980 sq. in.) crawl space in the foundation that is covered by a screen door which may provide additional flood venting.

ELEVATION CERTIFICATE

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 502 South Main Street			Policy Number:
City Bucoda	State Washington	ZIP Code 98530	Company NAIC Number

SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B,and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).

    a) Top of bottom floor (including basement, crawlspace, or enclosure) is   _____ . _____   ☐ feet ☐ meters   ☐ above or ☐ below the HAG.

    b) Top of bottom floor (including basement, crawlspace, or enclosure) is   _____ . _____   ☐ feet ☐ meters   ☐ above or ☐ below the LAG.

E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1–2 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is   _____ . _____   ☐ feet ☐ meters   ☐ above or ☐ below the HAG.

E3. Attached garage (top of slab) is   _____ . _____   ☐ feet ☐ meters   ☐ above or ☐ below the HAG.

E4. Top of platform of machinery and/or equipment servicing the building is   _____ . _____   ☐ feet ☐ meters   ☐ above or ☐ below the HAG.

E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?   ☐ Yes   ☐ No   ☐ Unknown. The local official must certify this information in Section G.

SECTION F – PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner or Owner's Authorized Representative's Name

Address	City	State	ZIP Code

Signature	Date	Telephone

Comments

☐ Check here if attachments.

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 502 South Main Street			Policy Number:
City Bucoda	State Washington	ZIP Code 98530	Company NAIC Number

SECTION G – COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.

G1. ☐ The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)

G2. ☐ A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.

G3. ☐ The following information (Items G4–G10) is provided for community floodplain management purposes.

G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate of Compliance/Occupancy Issued

G7. This permit has been issued for: ☐ New Construction ☐ Substantial Improvement

G8. Elevation of as-built lowest floor (including basement) of the building: _____._____ ☐ feet ☐ meters Datum _____

G9. BFE or (in Zone AO) depth of flooding at the building site: _____._____ ☐ feet ☐ meters Datum _____

G10. Community's design flood elevation: _____._____ ☐ feet ☐ meters Datum _____

Local Official's Name	Title
Community Name	Telephone
Signature	Date

Comments (including type of equipment and location, per C2(e), if applicable)

☐ Check here if attachments.

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 502 South Main Street			Policy Number:
City Bucoda	State Washington	ZIP Code 98530	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.


Photo One

Photo One Caption Front view

Photo Two

Photo Two Caption Right view

IMPORTANT: In these spaces, copy the corresponding information from Section A.			FOR INSURANCE COMPANY USE
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. 502 South Main Street			Policy Number:
City Bucoda	State Washington	ZIP Code 98530	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8.


Photo One

Photo One Caption Rear view

Photo Two

Photo Two Caption Left view