



Installation of Foundation Flood Openings

Return completed form to Scott Boettcher at either:

1. Chehalis River Basin Flood Authority
2601 Capitol Way S
Olympia, WA 98501-3326; or
2. scottb@sbgh-partners.com.

Form 2-2015 -- Contractor Bid¹

1. The following lump sum bid is to install FEMA compliant foundation flood openings in the residential and/or business structure located at:

_____ (street address) _____ (city, state, zip) _____ (parcel number)

2. The time required to install FEMA compliant foundation flood openings at this residential and/or business structure shall not exceed _____ days following notice to proceed.

3. The cost to install FEMA compliant foundation flood openings at this residential and/or business structure shall not exceed:

- a. Labor = _____.
- b. Materials = _____.
- c. Permits, licenses and approvals = _____.
- d. Elevation certificate = _____.
- e. Total = _____.

4. This bid is good until _____.

5. Signed:

_____ (Contractor's signed name) _____ (Contractor's printed name) _____ (date)

¹ This Form 2-2015 is a Contract and incorporates the terms of RCO's Master Contract regarding installation of foundation flood openings, insofar as they are consistent with this Form 2-2015.



Installation of Foundation Flood Openings

Return completed form to Scott Boettcher at either:

1. Chehalis River Basin Flood Authority
2601 Capitol Way S
Olympia, WA 98501-3326; or
2. scottb@sbgh-partners.com.

Enclosure #1

1. The estimated average elevation of the basement/crawlspace is _____ feet (above or below) the lowest adjacent grade (LAG). **NOTE:** If the Elevation of the basement/crawlspace is subgrade on all sides and exceeds 2 feet below LAG the enclosure will be considered a basement for insurance purposes.
2. The estimated average elevation of the next higher floor is _____ feet above the LAG.
3. If basement/crawlspace is subgrade on all sides, then A+B= _____ feet. **NOTE:** If the sum of A + B exceeds 5 feet the enclosure will be considered a basement for insurance purposes.
4. Length of basement/crawlspace is _____ feet.
5. Width of basement/crawlspace is _____ feet.
6. Area of basement/crawlspace is _____ square feet.
7. Total number of flood openings to be installed is _____.
8. Square inches of each flood opening _____.
9. Total number of square inches _____.
10. Cost for enclosure #1:
 - a. Labor = _____.
 - b. Materials = _____.
 - c. Permits, licenses and approvals = _____.
 - d. Elevation certificate = _____.
 - e. Total = _____.
11. In space below please provide drawing showing foundation and location of proposed vents.



Installation of Foundation Flood Openings

Return completed form to Scott Boettcher at either:

1. Chehalis River Basin Flood Authority
2601 Capitol Way S
Olympia, WA 98501-3326; or
2. scottb@sbgh-partners.com.

Enclosure #2²

(Only fill out if structure has more than one enclosure)

1. The estimated average elevation of the basement/crawlspace is _____ feet (above or below) the lowest adjacent grade (LAG). **NOTE:** If the Elevation of the basement/crawlspace is subgrade on all sides and exceeds 2 feet below LAG the enclosure will be considered a basement of insurance purposes.
2. The estimated average elevation of the next higher floor is _____ feet above the LAG.
3. If basement/crawlspace is subgrade on all sides, then A+B= _____ feet. **NOTE:** If the sum of A + B exceeds 5 feet the enclosure will be considered a basement for insurance purposes.
4. Length of basement/crawlspace is _____ feet.
5. Width of basement/crawlspace is _____ feet.
6. Area of basement/crawlspace is _____ square feet.
7. Total number of flood openings to be installed is _____.
8. Square inches of each flood opening _____.
9. Total number of square inches _____.
10. Cost for enclosure #2:
 - a. Labor = _____.
 - b. Materials = _____.
 - c. Permits, licenses and approvals = _____.
 - d. Elevation certificate = _____.
 - e. Total = _____.
11. In space below please provide drawing showing foundation and location of proposed vents.

² Use this section only for structures that have two enclosures below the BFE. If the structure has more than two enclosures STOP.