# BAC DISCUSSION GUIDE

## 2025-2027 Biennium Office of Columbia River Capital Projects

Prepared for October 23, 2024 BAC Meeting

## Background

Ecology's Office of Columbia River (OCR) plans to request funding for capital projects in the Washington (WA) State Legislative 2025-2027 biennium budget. Please note that OCR will also be requesting funding to support the Bi-State Flow Study and the WWW2050 facilitation process. The total amount available for capital project funding is expected to be in the range of \$2.5-2.8 million.

Four sub-workgroups (floodplains, habitat and fish passage, water, water quality and monitoring) met multiple times over the spring and summer of 2024 to discuss and consider each of the proposed projects. Included below, is a summary of the project eligibility criteria and potential project packages for BAC consideration. The BAC is charged with recommending a list of projects to the Tri-Sovereigns for future OCR capital project funding. The entire list of proposed projects is included at the end of this document as well as a list of the Tier 1 strategies for reference.

## **Project Eligibility**

The source of the project funding is the WA State legislature's capital budget, therefore only activities associated with direct project implementation or monitoring are eligible. General outreach, fundraising, and programmatic support are not eligible activities.

In addition, given that the funding is from the WA State legislature there are restrictions on spending on projects outside of Washington.

- Ecology OCR will consider funding projects in Oregon as long as the projects provide or support a measurable and manageable instream and/or out-of-stream water quantity demand benefit in Washington. Ecology will also consider funding monitoring activities that support the measurement and management of instream and/or out-of-stream water quantity benefit.
- Ecology will consider funding basin wide monitoring and tracking activities that monitor the movement, growth and survival of fish populations.
- If projects proposed do not provide or support a measurable and manageable instream and/or water quantity demand benefit in Washington and are geographically located in both states, then Ecology OCR will only consider funding the Washington portion of these projects.



## **BAC Discussion Questions**

At the October 2024 BAC meeting the BAC will recommend a list of projects to the Tri-Sovereigns to advance for OCR capital budget funding. The discussion questions include:

1. Does the BAC recommend a project package as is, or with any adjustments, to the Tri-Sovereigns for funding?

The Tri-Sovereigns have indicated their desire to fund a variety of projects from a variety of sponsors. However, the funding does not need to be split evenly between types of projects and only projects that are eligible and rank highly should be recommended for funding, meaning if a project category does not have one or more highly ranked projects there may not be a project advanced from that category.

## Draft Project Funding Packages for BAC Consideration

A number of approaches — consistent with the goals of the BAC — were considered when developing these packages including selecting projects based on:

- sub-group rankings (both overall and within a category);
- diversity of project sponsors;
- diversity of projects across categories; and
- general representativeness of projects funded and funding amounts by project sponsor relative to number of projects submitted/total funds requested.

**Package 1.** Projects selected based on weighted average ranking overall (and then including the Heritage Gardens as recommended during the September 2024 BAC meeting). Minimum funding amounts were used. *Note: selecting the top 50%+ ranked projects under each category (and then including the Heritage Gardens project) also resulted in this same package.* 



			Min. \$	
Strategy	Project Name	Project Sponsor	Request	\$ Request
	Mill Creek Passage - Gose Street	TSS	\$500,000	\$500,000
	Touchet River Mile 42	WWCCD	\$250,000	\$500,000
Floodplains, Habitat & Fish Passage	Hofer Dam Assessment & Design Study	WWT	\$156,000	\$156,000
	Mill Creek Passage - 6th Ave Bridge	TSS	\$200,000	\$300,000
	Bridge to Bridge Phase 3	TSS	\$90,000	\$90,000
	Túuši Wána Floodplain & Fish Habitat Restor.	CTUIR	\$350,000	\$5,000,000
	Mill Creek Passage - Roosevelt to Tausick	TSS	\$400,000	\$1,000,000
Monitoring	WW Subbasin Salmonid Monitoring & Eval.	CTUIR	\$146,250	\$146,250
	Monitoring and Eval. Plan & Support Tool	WDFW	\$100,000	\$100,000
	Water Right Transactions-Water Payments	WWT	\$100,000	\$100,000
	Water Right Transactions-Project Develop.	WWT	\$120,000	\$120,000
Water	Aquifer Recharge Water Quality Monitoring	WWBWC	\$48,000	\$48,000
	LWW Irrigation Canals Efficiency Improv.	WWRID	\$350,000	\$350,000
	Heritage Gardens	WWCCD	\$30,000	\$30,000
Water Quality	Garrison & Stone Creek Stream Gauge	City of College Place	\$125,520	\$125,520
		TOTAL	\$2,965,770	\$8,565,770

**Package 2.** Projects selected based on weighted average ranking overall (and then including the Heritage Gardens project). Full funding amounts were used, as able, starting with the highest ranked project. *Note: While \$450,000 is above the minimum funding request for the Túuši Wána Floodplain & Fish Habitat Restoration project, the full funding request was \$5 million.* 

				Min. \$
Strategy	Project Name	Project Sponsor	\$ Request	Request
Floodplains, Habitat & Fish Passage	Mill Creek Passage - Gose Street	TSS	\$500,000	\$500,000
	Touchet River Mile 42	WWCCD	\$500,000	\$250,000
	Hofer Dam Assessment & Design Study	WWT	\$156,000	\$156,000
	Mill Creek Passage - 6th Ave Bridge	TSS	\$300,000	\$200,000
	Bridge to Bridge Phase 3	TSS	\$90,000	\$90,000
	Túuši Wána Floodplain & Fish Habitat Restor.	CTUIR	\$450,000	\$350,000
Monitoring	WW Subbasin Salmonid Monitoring & Eval.	CTUIR	\$146,250	\$146,250
	Monitoring and Eval. Plan & Support Tool	WDFW	\$100,000	\$100,000
Water	Water Right Transactions-Water Payments	WWT	\$100,000	\$100,000
	Water Right Transactions-Project Develop.	WWT	\$120,000	\$120,000
	Aquifer Recharge Water Quality Monitoring	WWBWC	\$48,000	\$48,000
	LWW Irrigation Canals Efficiency Improv.	WWRID	\$350,000	\$350,000
	Heritage Gardens	WWCCD	\$30,000	\$30,000
Water Quality	Garrison & Stone Creek Stream Gauge	City of College Place	\$125,520	\$125,520
		TOTAL	\$3,015,770	\$2,565,770



## Preliminary Project Sub-Workgroup Rankings (for reference)

Over the Spring and Summer 2024, four sub-workgroups met to consider, discuss and prioritize projects proposed for OCR capital project funding. Below are the preliminary project prioritized in each category by each of the four sub-workgroups.

## Floodplains, Habitat, Fish Passage Projects



## **Monitoring Projects**







## Water Projects (Streamflows, Groundwater and Water Supply)

### Water Quality Projects





## Full List of Projects (in order of priority as ranked by the sub-workgroups)

\*Note first budget column lists the full funding request, the second column lists a minimum amount for some of the larger projects.

Strategy	Project Name	Preliminary Ranking	Project Sponsor	Funding Request	Funding Request
	Mill Creek Passage - Gose Street	The second se	TSS	\$500,000	\$500,000
Floodplains, Habitat & Fish Passage	Hofer Dam Assessment & Design	Study	WWT	\$156,000	\$156,000
	Mill Creek Passage - 6th Ave Bridg	ge	TSS	\$300,000	\$200,000
	Touchet River Mile 42		WWCCD	\$500,000	\$250,000
	Bridge to Bridge Phase 3		TSS	\$90,000	\$90,000
	Túuši Wána Floodplain & Fish Hal	bitat Restor.	CTUIR	\$5,000,000	\$350,000
	Mill Creek Passage - Roosevelt to	Tausick	TSS	\$1,000,000	\$400,000
	Mill Creek Passage - 3rd to Colvill	e	TSS	\$1,000,000	\$800,000
	Mill Creek Geomorphic Assessme	nt & Plan	WDFW and CTUIR	\$55,000	\$55,000
	Riparian Maintenance		WWCCD	\$90,000	\$90,000
	Lower Mill Creek RM 4		WWCCD	\$700,000	\$250,000
	WW Subbasin Salmonid Monitori	ng & Eval.	CTUIR	\$146,250	\$146,250
Monitoring	Monitoring and Eval. Plan & Supp	ort Tool	WDFW	\$150,000	\$100,000
Water	Water Right Transactions-Water	Payments	WWT	\$100,000	\$100,000
	Water Right Transactions-Project	Develop.	WWT	\$120,000	\$120,000
	Aquifer Recharge Water Quality N	Monitoring	WWBWC	\$48,000	\$48,000
	LWW Irrigation Canals Efficiency	Improv.	WWRID	\$350,000	\$350,000
	Heritage Gardens		WWCCD	\$30,000	\$30,000
	Pine Creek Siphon Replacement		WWCCD	\$1,200,000	\$1,200,000
	College Place WWTP Phase 2		City of College Place	\$200,000	\$200,000
Water	Garrison & Stone Creek Stream G	auge	City of College Place	\$125,520	\$125,520
Quality	College Place Decant Facility		City of College Place	\$500,000	\$500,000
			TOTAL	\$12,360,770	\$6,060,770



## WW2050 Plan Tier 1 Priorities

## WW 2050 Strategic Plan Tier 1 Strategies

	1.01	Reconnect floodplain and restore channel complexity Basin wide to reduce flood risk and improve habitat
	1.06	Improve fish passage and habitat conditions in weired and concrete channel sections of flood control project in Mill Creek
Floodplains, Habitat &	1.07	Restore and protect riparian habitat along tributaries, small streams, and the Walla Walla River Basin wide
Fish Passage	1.09	Protect and improve fish passage at Nursery Bridge and implement levee setback projects upstream and downstream of Milton Freewater
	1.12	Improve flow and timing of fish passage through the Hofer Dam fishway
	1.19	Improve fish passage at Gose Street long term
	1.23	Improve fish passage at Bennington Diversion Dam
	1.1	Develop an overarching monitoring strategy and adaptive management plan for fish, habitat, and water to inform actions and evaluate effectiveness
	1.15	Expand and fund streamflow gages throughout the Basin
Monitoring and Metering	1.2	Improve agricultural irrigation water use metering and reporting programs in WA and OR by installing telemetry and improving data use by agencies and water users
Water Policy and	1.11	Address legal implications of Bi-State surface water management and protection of instream flow across the state border and protection of instream flow within States
	1.14	Improve coordination and response to drought management Basin-wide
Management	1.16	Increase coordination and enforcement of floodplain and riparian regulations and management between Counties and State water management entities
	1.21	Additional Bi-State coordination on groundwater regulation
	1.02	Support the ongoing analyses of the Bi-State Flow Study and work toward a recommendation on implementation of the preferred alternative
Streepelleure	1.03	Direct additional winter flow down the Little Walla Walla River to support alluvial aquifer recharge and stream function
Groundwater and	1.08	Decrease surface water diversions or substitute for basalt wells during low flow periods
Water Supply	1.04	Water rights acquisitions (short-term, long-term, and split season) to restore streamflows
	1.05	Improve and expand managed aquifer recharge (MAR)
	1.13	Expand and support Aquifer Storage and Recovery (ASR) to maintain groundwater quality and capacity
	1.17	Increase infiltration of stormwater rather than discharge to surface water bodies and improve coordination and management
Water Quality	1.18	Upgrade Dayton wastewater treatment plant to meet Ecology requirements and watershed community environmental goals
	1.22	Implement conservation tillage and soil erosion BMPs to decrease nonpoint source pollution



## **Project Descriptions**

#### Floodplains, Habitat & Fish Passage

#### Project: Mill Creek Passage - Gose Street (WA)

Sponsor: Tri-State Steelheaders

#### Funding Request: \$500,000

Description: In 2020, flood flow in Mill Creek created a new fish passage barrier below a fishway that transitions the flood control channel to the natural channel. An alternatives assessment has identified a preferred alternative - a 1,100 ft. nature-like fishway. The funding requested below is the full project budget. We are applying to other funders, and expect to share project costs among multiple funders, but have not yet secured funding.

#### Project: Hofer Dam Assessment and Design Study (WA)

#### Sponsor: WWT

#### Funding Request: \$156,000

Description: WWT is seeking funds in partnership with Touchet Westside Irrigation District (TWID), who holds the largest water right and therefore effectively the most senior water right on the Touchet River. Their water right, in combination with upstream diversions, allowed TWID to legally decrease flows to the point of impairing adult fish passage during critical fall adult in-migration window and in some years to essentially dewater the river below the diversion structure at Hofer Dam (~RM 4). The historic syphon and diversion dam were fish passage barriers for migrating ESA-listed steelhead, bull trout, and reintroduced spring Chinook, included an ESA non-compliant fish screen, and utilized an unlined gravity fed canal system to deliver water. In 2009, the Walla Walla County Conservation District (WWCCD), Washington State Conservation Commission (WSCC), Confederated Tribes of the Umatilla Indian Reservation (CTUIR), Washington Department of Ecology (DOE), and TWID completed the Hofer-Eastside-Westside Complex: Fish Passage, Fish Screening, Pump Station Construction, Pipeline Construction Project to address these items.

While the 2009 project improved water use efficiency at TWID and improved fish passage, the modified water circulation pattern in this area causes significant sediment accumulation during certain flows in the Touchet River, resulting in the new diversion infrastructure and pool and chute fish ladder not functioning as intended (BPA Statement of Work Report 5/14/2021). This sediment impacts TWID's ability to divert their full water right and affects the function of the four fish screens. One of the screens is fully blocked by sediment and weeds, causing the need to excavate the area in front of the screen regularly. In times of low flows, the sediment build-up also impacts the flow rate going towards the diversion infrastructure and through the fish ladder. TWID has had to install flash boards along the dam during these low flows to raise the water level above the sediment bar. In 2014, the WWCCD completed a project funded by Bonneville Power Administration to develop a stamped construction-ready design to rectify sediment accumulation, provide fish passage and screening benefits as intended by the 2009 project, and allow TWID to divert their legal water right at Hofer Dam. Although a preferred alternative was selected, the design was not constructed and since 2014, no further work has been completed, but fish passage is still a recognized problem.

WWT's proposed assessment and design study seeks to build off of previous efforts to find a solution for these remaining challenges. A qualified engineering firm will be hired to complete an alternatives assessment, analyzing the effects of flow on sedimentation and fish passage at Hofer Dam. This project will incorporate any strategies discussed by partners in the years after the 2009 construction occurred, and design lessons learned from the placement of the screens and sweeping flows to make sure they function correctly in any future design. It will also incorporate lessons learned from the modified flow pattern, taking into account that flows are actually higher near the spillway, rather than the fish ladder, when choosing a preferred fish passage alternative. A preferred alternative will be identified in collaboration with stakeholders to improve passage for ESA-listed Mid-Columbia Steelhead and Bull Trout, and reintroduced spring Chinook and allow TWID to meet their diversion needs. Conceptual design plans will be produced for the preferred alternative.



#### Project: Mill Creek Passage - 6th Ave Bridge (WA)

Sponsor: Tri-State Steelheaders

Funding Request: \$300,000 (Min. Amount \$200,000)

Description: The 6th Avenue bridge on Mill Creek was constructed in the 1910s and is scheduled for replacement by the City of Walla Walla in 2027. The bridge has a support pier in the channel that creates hydraulic conditions that are a barrier to fish passage. With the pier in place, the fish passage treatment applied to the rest of the channel cannot be implemented. The City's bridge replacement project provides an opportunity to apply the fish passage treatment at the same time. In 2027, the 6th Ave bridge footprint and the underground section will be the only remaining sections of the concrete channel to be treated for fish passage.

#### Project: Touchet River Mile 42 (WA)

#### Sponsor: WWCCD

Funding Request: \$500,000 (Min. Amount \$250,000)

Description: WWCCD will restore a 1.4-mile stretch of the Touchet River starting at RM 42. This project area is located west of the town of Waitsburg, Washington. This project is located downstream of the levees and confluence with Coppei Creek. This reach of the Touchet River has high velocities of water due to the restriction by the upstream levees (located 0.6 miles upstream). The project is divided into project element groups. This funding will go towards the implementation of Element groups 5 & 6. Element groups 1-4 are funded through state and federal sources.

Project restoration activities include installing engineered log jams (ELJ) and other large woody material (LWM); completing 2,200 feet of side channel pilot cuts; and planting bank vegetation. These restoration activities will increase floodplain inundation during one-year and two-year flow events; channel complexity at low flows; off-channel rearing, foraging, and overwintering habitat for native salmonids; shade on the river; sediment deposition in over-straightened and transport reaches; and stabilization of gravel bars to encourage riparian growth. Completion of these activities will also address TMDLs for the Touchet RM 42 reach. Together, the improvements will reduce suspended sediment in the water column, shade the river, and deepen and increase the reach's pool count, all of which help decrease water temperatures. Lower water temperatures help balance pH and increase dissolved oxygen.

The installation of ELJ and other LWM, and the creation of side channel cuts will promote geomorphic and habitat complexity, increase hydraulic connectivity within the floodplain, and help gather and retain woody debris and sediment. As a result, turbidity levels, sedimentation, and flow rates should decrease while bank stability and habitat diversity increase.

#### Project: Bridge to Bridge Phase 3 (WA)

Sponsor: Tri-State Steelheaders

Funding Request: \$90,000

Description: The Bridge-to-Bridge project reach is nearly two miles of the Walla Walla River near Lowden, WA. This project, Phase 3A, will address limiting factors by placing logs and log structures along 1,000 feet of the Walla Walla River to improve channel complexity, maintain pools, create off-channel areas, and encourage side channels. Riparian plantings will address limiting factors by increasing shade and improving riparian function.

#### Project: Túuši Wána Floodplain & Fish Habitat Restoration (WA)

Sponsor: CTUIR

#### Funding Request: \$5M (Min. Amount \$350,000)

Description: The project is located on the mainstem of the Touchet River from RM 14 - RM 17. The Touchet River is a major tributary to the Walla Walla River which flows to the Columbia River in southeast Washington State. Latitudinal/Longitudinal coordinates for the upstream end of the project are 46°13'26.01""N, 118°35'26.23""W while the downstream extent of the project are 46°12'17.52""N, 118°37'36.61""W. The project lies within the traditional use area of the CTUIR. The project area is approximately 35 miles east of Kennewick, WA and approximately 240 miles east of Portland, Oregon.

The Confederated Tribes of the Umatilla Indian Reservation (CTUIR) propose to sponsor a 2.7 mile-long floodplain and fish habitat restoration project on the mainstem Touchet River which lies within the Walla Walla Sub-basin. The CTUIR is a federally recognized Indian Tribe and has its reservation in northeast Oregon, but the aboriginal ceded areas extend well into Washington State where this project occurs. The project area has been negatively impacted by



intensive riparian clearing, channelization, bank armoring, floodplain clearing, hillslope clearing, and levee construction. Riparian clearing occurred until at least 1996. The loss of riparian community has resulted in moderated channel erosion rates. Channelization, floodplain grading, and bank armoring appear to have been evident by 1952 and continued to accelerate in scope and scale through the 1970s. These actions are evident by meander scars and channels visible in the 1952 aerial disappearing by the 1964 aerial. These actions likely resulted from a desire to maximize land productivity for agriculture and as a reaction to flooding in the 1960s and early 1970s. The channel has been straightened and its ability to migrate within the floodplain is reduced, which has resulted in increased stream power, leading to widespread channel disconnection from the floodplain. This has significantly reduced floodplain connectivity, contributed to a high load of fine sediments, and reduced channel complexity.

Based upon site analysis, project goals and objectives, identified habitat limiting factors, site review (stakeholders, funder technical review (BPA, SRFB), external technical review), and anticipated available funding ranges, two complementary strategies are proposed for the project area. The proposed strategies showcase two restoration approaches in two treatment reaches. These two approaches are intended to balance both the desire for more immediate benefit response time as well as ""lighter"" touch approaches that provide longer term benefits. These two provide an attempt to balance potential risks presented by both approaches as well as provide comparative lessons learned for future lower watershed projects in the Walla Walla Basin.

The first approach, the Floodplain Reveal Reach, (RM 16.5 to 17.1) intends to accelerate extensive, frequent, and sustained floodplain engagement. This more direct approach is expected to realize project benefits on the more immediate (immediately post construction) and near-term (1 to 3 year) benefits. These benefits will be achieved through excavation (floodplain reveals) by exposing a floodplain surface compatible with and just above the established long profile of the Touchet River's gravel bed channel that has been found to sustain the river's base-level elevation profile. The floodplain reveals also target relative surface elevations that will encourage and sustain passive revegetation. This approach will be paired with channel and floodplain structural elements (e.g., large wood structures (LWS)) which will be placed along the channel margins and across the floodplain. The placement of these LWS is intended to promote moderate to long-term (60 to 150 years (Beechie et al. 2008)) channel aggradation and enhanced floodplain-forming and riparian processes. The second approach, the Large Wood Treatment Reach (RM 14.9 to 16.5), will utilize aggressively positioned main channel LWS to initiate lateral channel migration and drive moderate- to long-term (60 to 150 years (Beechie et al. 2008)) channel aggradation. This downstream treatment approach is proposed to be paired with active vegetation structure and ultimately support the return of active agriculture areas towards more naturalized floodplain forest and uplands.

#### Project: Mill Creek Passage - Roosevelt to Tausick (WA)

#### Sponsor: Tri-State Steelheaders

#### Funding Request: \$1M (Min. Amount \$400,000)

Description: Sections of the Mill Creek flood control channel are confined on both banks by levees, and have regularly-spaced energy-dissipating channel stabilizers (weirs). These weirs were described as passage barriers for juvenile and late-spring adult salmonids. This project will provide passage for about 5,600 feet of channel immediately upstream of the concrete channel. Weirs will be notched for passage, and a low-flow channel will be created for the length of the project. Because of the project length, construction is likely to occur in 2026 and 2027. The funding requested is the full project budget. We are applying to other funders, and expect to share the project costs across several sources.

#### Project: Mill Creek Passage - 3rd to Colville (WA)

#### Sponsor: Tri-State Steelheaders

#### Funding Request: \$1M (Min. Amount \$800,000)

Description: A section of the Mill Creek flood control channel goes under downtown Walla Walla (between 3rd Avenue and Colville Street). This is one of two remaining sections to be treated for fish passage in the concrete channel (the other is 6th Avenue). Because of the project occurring in an enclosed area, this project may be constructed in 2026 and 2027. The requested funding is a very rough estimate.



#### Project: Mill Creek Geomorphic Assessment and Strategic Action Plan (WA)

Sponsor: WDFW and CTUIR

Funding Request: \$55,000

Description: The project will hire an environmental consultant to develop a scientific defensible and well-coordinated assessment and action plan to prioritize restoration efforts in the Mill Creek Watershed. Plan objectives will be to improve our scientific understanding so that restoration efforts in Mill Creek are more accountable and competitive for future funding, and so that the funded restoration efforts are more effective and efficient.

River and floodplain habitat condition and function have been degraded through much of the watershed area that will be included in this assessment. River channel complexity has been reduced through past channel management including channel confinement, removal of snags and clearing of riparian. Residential development, recreational and agricultural use in the floodplain has increased channel confinement and stream power. This project will provide quantifiable information on the extent of habitat restoration needs and options within the watershed so that restoration dollars can be directed toward priority projects. Having a defensible assessment and prioritized action plan will allow restoration partners to direct future funding to ensure high priority projects are implemented.

The physical and biological assessment will be process-focused (generally following guidance of Booth et al. 2016, Beechie et al. 2008, Beechie et al. 2013, Devries et al. 2015, Palmer et al. 2005, Roni et al. 2017, Wohl et al. 2005), with data collection and analyses informing restoration priorities to restore watershed processes that support multi-species benefit for the four focal species of the assessment and action plan: Middle Columbia River summer steelhead (ESAlisted Threatened); Columbia River bull trout (ESA-listed Threatened); Spring Chinook salmon; and Pacific lamprey.

This project will identify (1) the current and historical functioning of natural geomorphic and hydrologic processes that are linked to focal species habitat, as organized by the CTUIR River Vision (Jones et al. 2008) and Snake Region Salmon Recovery Plan (2005); (2) the effect of current land use on the function on those natural processes and their influence on the production of focal species; (3) quantitative prioritization of geographic areas according to the potential for restoration and conservation of watershed processes that support focal species habitat; and (4) itemized restorative actions that may be applied to each geographic area to aid in restoration of watershed processes and achieve multispecies uplift.

The final document will establish a strategic approach to watershed process restoration based upon watershedspecific data and its analysis with input from interested stakeholders for the watershed. A defensible approach will require the assessment of land use, land cover, vegetation, aquatic biotic communities, geomorphic and hydrologic processes and conditions to prioritize geographic areas and potential restoration actions. The collaborative process will include the CTUIR, Oregon and Washington state agencies, federal agencies, local non-governmental organizations, and private landowners. Frequent 2019 RFP - Upper Walla Walla River Watershed Assessment and Action Plan - Page 8 of 37 and open communication will be critical to project success. The selected contractor will be required to detail progress in their efforts at regular meetings and accept guidance from the CTUIR and stakeholders. The selected contractor will be required to address comments and concerns raised by stakeholders and effectively communicate outcomes. The selected contractor will collaboratively develop a communications plan with the CTUIR prior commencing project work to ensure efficient and effective communication with stakeholders.

#### **Project: Riparian Maintenance (WA)**

Sponsor: WWCCD

#### Funding Request: \$90,000

Description: The Riparian Maintenance funds will address riparian buffers in Walla Walla County. In the 2023-25 biennium alone, WWCCD will have installed approximately 20 small riparian projects. These were funded through both the Washington State Conservation Commission: Voluntary Stewardship Program and Riparian Grant Program. Maintenance of these sites is a critical component for any restoration project and we anticipate ongoing management needs past the end of the current biennium.

Maintenance work will likely involve survival assessments with replanting and potential expanding of riparian areas, watering, mulch installment for moisture retention and caging for wildlife protection where necessary. Hand weeding, appropriate chemical applications, and mowing/brush cutting will be utilized for ongoing weed control. Blackberries have been an issue at several sites and may need additional treatment and control. Plants previously caged for wildlife protection may need cages removed. Some additional native grass seeding may also need to be done.



#### Project: Lower Mill Creek RM 4 (WA)

Sponsor: WWCCD

Funding Request: \$700,000 (Min. Amount \$250,000)

Description: The Lower Mill Creek RM 4 project is a 1.5-mile stretch located between Bunchgrass Lane and Wallula Ave, west of the city of College Place, Washington. The proposed project will reconnect 2,800 feet of side channel, restore 2.75 acres of vegetative riparian buffer, and install a series of engineered log structures, post-assisted log structures, and beaver-dam analogues to increase channel complexity. These restoration activities will increase floodplain inundation during one-year and two-year flow events; off-channel spawning, rearing, and migration habitat for native salmonids; channel complexity at low flows; shade on the creek; sediment deposition in over-straightened and transport reaches; and stabilization of gravel bars to encourage riparian growth. Activities will also improve pollutant filtration and add wood and other biological inputs to the stream ecosystem.

This project will also improve community resilience against high-flow events in and around Walla Walla. In February of 2020, the Walla Walla Valley, including this reach of Mill Creek, experienced a significant flood event, estimated to be a 500-return interval. This event caused millions of dollars in infrastructural and property damage and further impacted the already-degraded stream system. Project activities are expected to reduce floodplain inundation during 25- and 100-year flow events, responding to a community need for climate change and flood resilience.

This project currently has a 30% design and we received \$500,000 from the Deptarment of Ecology Water Quality grant to get us to a 90% design and cover some construction costs. Costs associated with this OCR requests would cover the remaining anticipated construction costs.

#### Monitoring

#### Project: Walla Walla Subbasin Salmonid Monitoring & Evaluation (OR & WA)

#### Sponsor: CTUIR

#### Funding Request: \$146,250

Description: CTUIR currently operates and maintains seven PIT tag interrogation arrays in the Walla Walla Basin. Three arrays are located along the mainstem Walla Walla River: 1) Nursery Bridge Dam, 2) Burlingame Dam, and 3) RM 3 near the Walla Walla River Mouth. Four arrays are located along Mill Creek and its distributary Yellowhawk Creek: 1) Bennington Diversion Dam, 2) Division Works Dam, 3) Upper Yellowhawk Creek, and 4) Lower Yellowhawk Creek. CTUIR plans to install a temporary PIT array at the Gose Street fish ladder when WDFW reinstalls concrete eco blocks to temporarily maintain pool depths, and WDFW plans to install Mill Creek PIT arrays at Roosevelt Street and below the Whitman Mission. These PIT tag infrastructure improvements should allow us to monitor both juvenile and adult migrations through the Walla Walla Basin.

The one ingredient that we are lacking for efficient adult monitoring is the sheer number of PIT tags released. CTUIR began releasing hatchery-origin smolts reared from the new îImtwaha Fish Hatchery at full production (500,000 smolts) in 2022. We propose implanting 45,000 PIT tags into brood year 2024 juveniles to be released as smolts in 2026 to monitor and evaluate migration performance. Theoretically, at a smolt-to-adult return rate of 1%, we would expect 450 PIT tags to return as adults. This number of returning adult PIT tags will allow for effective monitoring of adult migration performance.

#### Project: Monitoring and Evaluation Plan & Support Tool (WA)

#### Sponsor: WDFW

#### Funding Request: \$150,000 (Min. Amount \$100,000))

Description: This project seeks to develop and implement Strategy 1.10 (monitoring, evaluation & adaptive management). In 2024 and 2025 the project lead, in cooperation with the Monitoring workgroup, will continue to develop a framework for the strategy and the associated work product. In BN 25-26 funding sought through WW 2050 will be employed to execute the developed plan/product. Key aspects include the development of a digital clearinghouse populated with pertinent biological and ecological information. This clearinghouse, or database, will dovetail with an internal and external interface known as a Decision Support Tool (DST). The DST will geographically collate and represent data in a manner the holistically informs the Basin's regulators, fish & wildlife co-managers, and stakeholders of past and current trends to aid in progress tracking, trend identification and decision making.



#### Water

#### Project: Water Right Transactions - Water Payments (OR & WA)

Sponsor: Washington Water Trust (WWT)

Funding Request: \$100,000

Description: WWT is seeking funds to support landowner payments for water right transactions benefitting ESA-listed populations of summer steelhead and bull trout, and reintroduced spring Chinook in both Washington and Oregon. These funds will be cost-share with WWT's main transaction funder, National Fish and Wildlife Foundation (NFWF) Columbia Basin Water Transactions Program (CBWTP). Water Right Transactions are a method to improve and protect streamflows through voluntary, market-based projects with water right holders. WWT prioritizes transactions in river and stream reaches where flow is a limiting factor to critical life stages of listed species, as defined by the 2004 Northwest Power and Conservation Council Walla Walla Subbasin Plan and the 2011 ESA-Snake River Salmon Recovery Plan. WWT is increasingly focused on transactions that add resilience to streams in the face of climate change, including developing new tools such as floodplain optimization and upland forest management.

Contracted transactions often result in water payments to the landowner contingent on final agency approval of water right quantities available for instream flow and continued evidence of those quantities remaining instream for the duration of the transaction. Water payments are based on the market value of water in the Walla Walla Basin in Washington and Oregon, and are negotiated with the water right holder and the CBWTP during the project development process. Payment for temporary leases can be on an annual basis or lump sum. Payment for permanent transactions occurs as a lump sum payment after a formal closing process (similar to a real estate transaction).

Between 2025 and 2027, funds will be used as cost-share for annual lease payments to the City of Walla Walla for Mill Creek instream flow (about \$40,000 per year, subject to future negotiations) and a lease or acquisition payment for a project on the Touchet River (\$13,000 - \$39,000 depending on transaction type).

#### Project: Water Right Transactions - Project Development (OR & WA)

Sponsor: Washington Water Trust (WWT)

Funding Request: \$120,000

Description: WWT is seeking funding to develop and implement water right transactions benefitting ESA-listed populations of summer steelhead and bull trout, and reintroduced spring Chinook in both Washington and Oregon. Water Right Transactions are a method to improve and protect streamflows through voluntary, market-based projects with water right holders. WWT prioritizes senior water right transactions in river and stream reaches where flow is a limiting factor to critical life stages of listed species, as defined by the 2004 Northwest Power and Conservation Council Walla Walla Subbasin Plan and the 2011 ESA-Snake River Salmon Recovery Plan, to maximize the protectability instream for the benefit of as many river miles as possible. WWT is increasingly focused on transactions that add resilience to streams in the face of climate change, including developing new tools such as floodplain optimization and upland forest management.

Water transactions can take a considerable amount of time to develop, varying from less than a year for temporary leases to one or more years for permanent acquisitions depending on landowner willingness, project complexity, and change application processing time. Project development begins with in-person outreach in the form of water right workshops, basin event participation, newspaper op-eds, and other engagement methods. This outreach is critical to develop new relationships and build trust with water right holders over time. Other aspects of transaction development and implementation include water right due diligence to determine instream flow quantities, contract negotiation (lease, acquisition, water quantities, price, etc.), water right change process to protect water instream, agency approval, through to landowner payment distribution.

WWT's main funder of this work is National Fish and Wildlife Foundation (NFWF) Columbia Basin Water Transactions Program (CBWTP). Historically, WWT had State support through the Department of Ecology's Water Acquisition Program as cost-share support for transaction development and implementation, but has been missing this additional funding since 2021. OCR funds will act as cost-share to advance projects through these various stages. Between 2025 and 2027, WWT aims to develop 6 new water transactions and continue to develop an ongoing lease transaction on Mill Creek (City of Walla Walla) and two ongoing leases on the Touchet River. WWT has a goal to protect about 4-7 cfs in the Touchet River with 3 projects, 3-5 cfs in the Walla Walla River with 3 projects, and 8-10 cfs in Mill Creek.



#### Project: Aquifer Recharge Water Quality Monitoring Project (OR & WA)

Sponsor: WWBWC

Funding Request: \$48,000

Description: The Walla Walla Basin Watershed Council, in partnership with the Walla Walla County Conservation District, is seeking funding to conduct comprehensive water quality monitoring, as required by the Washington Department of Ecology (WDOE) and the Oregon Department of Environmental Quality (ODEQ) across 18 alluvial aquifer recharge sites within the Walla Walla Valley.

Background: Distinct from many aquifer recharge projects globally that aim for aquifer storage and recovery (ASR), this aquifer recharge (AR) project is primarily designed for the public and regional benefit. It seeks to restore the aquifer and boost groundwater contributions to instream flow, optimizing the resource's utility across various sectors. These include supporting aquatic life, enabling recreational water activities, providing for domestic use, and fulfilling irrigation needs, which are vital for our community's sustainability and ecological balance.

Project Location and Scope: Spanning across the Walla Walla Valley, our project encompasses the monitoring of 18 recharge sites located in both Washington and Oregon. These recharge sites are working towards addressing the challenges posed by the Walla Walla Valley's declining and over-allocated groundwater and surface water systems.

Project Objective: The requested funding will be utilized specifically to conduct the water quality monitoring required for operating 18 AR sites, the pumping costs at Stiller Pond, and annual reporting.

Water Quality Monitoring: Staying in compliance with the ODEQ and the WDOE regulations, the project requests funding for two recharge sampling seasons. The Washington recharge sampling frequency, type, and reporting requirements approved by WDOE (Report of Examination for S3-30674, Aug 2021; Groundwater Memo, May 2021, and others) will be the basis of the sampling plan in Washington. The ODEQ-approved recharge sampling frequency, type, and reporting requirements document, WWBWC Alluvial Aquifer AR Program Hydrologic Setting, Site Descriptions, and Proposed Surface Water and Groundwater Monitoring Plan, 2020, will provide the basis of the sampling plan in Oregon. Coordination will occur between the two states to develop a consistent water quality monitoring plan for the project.

Aquifer Recharge Volume: Annually, the sites can recharge 6,500 to 8,500 acre-feet of water into the alluvial aquifer.

#### Project: LWW Irrigation Canals Water Efficiency Improvements (WA)

Sponsor: WWRID

#### Funding Request: \$350,000

Description: The proposed project will perform planning and engineer design for water efficiency projects in the Little Walla Walla (LWW) canals managed by the Walla Walla River Irrigation District (WWRID), Milton-Freewater, Oregon. The proposed project will advance work funded with a previous Bureau of Reclamation grant via Tribal Assistance for Indian Water Resources Management and Protection which provided funding to initiate a design process. The funding requested in this proposal will complete the initiated design process from about 33% design through final design and initiate environmental permit related surveys and applications.

The project is located along the existing canal system for the WWRID. The LWW system starts on the Walla Walla River on the south end of Milton-Freewater, Oregon and then branches into several distribution canals that flow west and north through the city of Milton-Freewater and further through farm and orchards. The system has been in place for decades and requires updating to reduce loss (spill) in the system, and other efficiency improvements. All water savings will be transferred to an instream water right which will formally protect currently unprotected instream flows bypassed at WWRID,Äôs point of diversion. Minimum bypass flows were negotiated between local irrigation districts (WWRID and Hudson Bay District Improvement Company) and the U.S. Fish and Wildlife Service to protect species listed under the Endangered Species Act. The WWRID holds the oldest water right in the basin. The project is expected to take two years from a funding agreement.

#### Project: Heritage Gardens (WA)

Sponsor: WWCCD Funding Request: \$30,000



Description: The Heritage Garden Program is a certification and technical assistance program initiated by the Benton Conservation District. The program promotes residential landscaping that prioritizes native plant diversity, low water usage, and habitat for pollinators and other wildlife. The program has expanded throughout the Columbia Basin and now includes Franklin, Chelan, Grant, Adams, Kittitas, and Yakima Counties.

The Walla Walla County Conservation District receives multiple requests each year from local landowners interested in the program. Without dedicated funding we have not been able to meet these requests. The requested funding would provide for staff time to initiate and establish parameters for the program in Walla Walla County, provide technical assistance to landowners, and purchase signage for local gardens meeting certification requirements.

A water savings calculator tool was created for Benton and Franklin Counties. WWCCD will use this tool to determine the conversion from the conventional lawn to the heritage garden criteria. This tool uses the Washington Irrigation Guide to determine certification needs. These funds are anticipated to fund between 5 and 10 local projects. If each project converts 2500 square feet (0.06 acres) from conventional lawn to meet the Heritage Garden requirements, over 45,000 gallons of water would be saved. On 5 projects, this would be a savings of over 225,000 gallons saved, annually. On 10 projects, 450,000 gallons of water (annually) would be conserved.

#### **Project: Pine Creek Siphon Replacement (WA)**

Sponsor: WWCCD

Funding Request: \$1.2M

Description: The Gardena Farms District #13 Pine Creek siphon intake is located south of Lowden, Washington. The inverted siphon moves water from the top of the hill at Lowden-Gardena Road, across the valley, under Pine Creek, and up to the Gardena Bench. This district serves roughly 7,000 acres in irrigated crops which include alfalfa seed, seed peas, wine grapes, and alfalfa hay.

This funding would cover the remaining costs associated with replacing the Pine Creek siphon. The current 7,800-foot siphon was constructed in 1957 and needs to be replaced prior to piping the remaining 11 miles of open Upper Canal. The average seepage of the Upper Canal is measured to be roughly 12.5 cfs. Upon a fully piped Upper Canal, those 12.5 cfs could stay in the Walla Walla River and contribute to times of critical low flow. The replacement siphon would also be more energy efficient than the current steel and concrete siphon.

# Project: College Place Wastewater Treatment Plant Upgrade to Class A Project - Pipe to Gardena Irrigation District Concept Feasibility Study Concept (OR & WA)

Sponsor: City of College Place

Funding Request: \$200,000

Description: The City currently generates about 1 million gallons per day of wastewater effluent, which is used to irrigate crops on the existing 110-acre land treatment area during the growing season - and the water is discharged into Garrison Creek during the non-growing season. The City has \$17M of funding secured to build a storage lagoon and a new irrigation distribution system; however, the City is interested in evaluating the feasibility of instead using this money to improve the WWTP to produce Class A Reuse water (like the City of Walla Walla WWTP) and a pump station and pipeline to send this water to the Gardena Farms Irrigation District (GFID) year-round. The GFID would like to pipe the upper 11 miles of their irrigation canal because it currently seeps approximately 13 cfs of water. The Gardena District is also interested in utilizing the water from College Place for groundwater recharge. The \$2M of funding requested in this application will cover the cost for engineering of a feasibility study, amendment to the WWTP Facility Plan, and design of the upgrades to the WWTP, pump station, and pipeline.

This concept is needed to be investigated for strategic partnership, utilization of water with Gardena Irrigation District. Regardless of if it originates at CP Treatment Plant via Garrison Creek or Gardena via Mud Creek it ends up in the Walla Walla River less than half a mile from each other. The City has this project in front of Ecology currently to see if they will approve the concept. It is basically improving the College Place Wastewater Treatment Plant to Class A standards and then piping the Class A effluent to the Gardena Irrigation District. Also, as part of this project would be to line/pipe northern portion of Gardena Irrigation District. The purpose of this request is to fund engineering so we have plans to build off of to make this a reality.



#### Water Quality

#### Project: Garrison & Stone Creek Stream Gauge Project (WA)

Sponsor: City of College Place

Funding Request: \$125,520

Description: This project entails the development and installation of four river gauges. One on Garrison Creek at Lions Park (801 SE Larch - upstream entry to city) and one at the Wastewater Treatment Plant (420 SW Owens Rd downstream exit to city). Also, one on Stone Creek at the Larch crossing adjacent to HopThief and one at SW Teal Rd at the exit point to the City.

The City does not have stream gauges. The City wants to accelerate capital investment in the stormwater utility via enrolling into the USDA NRCS PL-566 grant program. The City has over 70 outfalls that need to be redone with treatment facilities. Currently the City has funding to reconstruct one and engineer one a year unless we get grant dollars to accelerate. The USDA NRCS Office out of Spokane paid for a PIFR but this effort reached an impasse where very little data existed about the cost vs. benefit due to lack of stream gauges in the corridor. We really need stream gauges at entry and exist points of the City along Garrison and Stone Creeks to be able to quantify improvements.

The City contacted the local USGS Office to get a quote for gauge system installation. The financial cost is \$22,380 per site. This covers O&M, 6-8 calibration visits a year, surveying for stability, establish a datum, and data collection following national techniques for methods and stage. One-time \$18,000 per site equipment cost installation that USGS would split cost of and then \$5,000 one-time site labor and supply installation cost that the USGS covers. The fiscal cost annually in perpetuity is \$89,520. The City's Stormwater Utility is prepared to absorb this annual cost.

#### Project: College Place Decant Facility (WA)

Sponsor: City of College Place

Funding Request: \$500,000

Description: The project site will be located near the Wastewater Treatment Plant and will include concrete pads to facilitate emptying and cleaning of street sweeper and vactor trucks. The solids will be allowed to dewater on the concrete pads. Decant water will be screened, clarified, and then pumped to the sanitary sewer system for further treatment and disposal. The facility will be permitted and operated as a solid waste Piles Facility. Metrics that will be used to track success will be an increase in curb miles of street sweeping per year and cubic yards of solid waste processed at the facility.

This project will not reduce the amount of runoff but it will improve the water quality of the runoff by removing pollutants from the roadways before they are flushed into the surface waters during runoff events. The City has approximately 50 stormwater outfalls which discharge untreated stormwater runoff into the creeks that pass through the City. The recently completed Stormwater Management Plan includes a Capital Improvement Plan to add treatment to these outfalls in the future; however, this will take many years to fund and implement. In the meantime, increased street sweeping will remove pollutants from the roadways before they can be flushed into the creeks via these outfalls during runoff events. Pollutants from roadway surfaces are generally sediments that contain metals, petroleum hydrocarbons, and phosphorus. This centralized decant facility will make street sweeping operations more efficient and will increase the total number of curb-miles that the City can clean each year - thereby increasing the number of pollutants that are removed from roadways before they are flushed away during runoff events. The City will be able to track and measure the amount of solids that are processed at this new facility.

